EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S103	68	((((route or transmit or transfer) near/2 (signal or data)) with ((based or basis or using or select or choose or pick) near (clock or CLK))) and S102	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 21:36
S102	16557	(375/219 375/316 375/354-357 375/362 375/371 375/376).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 21:36
S100	15	("N" or multiple or plural or plural or plurality) with (CDR or (Idook or CLR) adj (recovery or re \$1 covery or extract or regenerat\$3 or re \$1 generat\$3) with ((serial near stream) or channel) and (clock near (selector or select \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 20:47
S99	6	("N" or multiple or plural or plurality) with (CDR or (Idock or CLK) adj (recovery or re \$1 covery or extract or regenerats 30 or re \$1 generats 30)) with ((serial near stream) or channel) and (clock near selector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 20:46
S 97	31	("20010009553" "2001002839" "2001002839" "20010038674" "20010055331" "20020034222" "20030062922" "20030063988" "20030163298" "20030163298" "20040088468" "20040088468" "20050084076" "5537607" "5537607" "5991546" "6011407" "6167077"	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 20:30

		"6185205" "6201829" "6201829" "621697" "6308311" "626799" "6308311" "6370603" "6477611" "6608638" "66064833" "6766406" "6798828" "6957283" "7142557").FN. OR ("7406118").URPN.		***************************************	***************************************	
S96	20	(((route or transmit or transfer) near/2 (signal or data)) with ((based or basis or using or select or choose or pick) near (clock or CL/S)) and (xilinx or xillinx)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 20:28
S95	22	(((recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CL/s)) with ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CL/s) and 594	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 20:28
S91	39	("N" or multiple or plural or plurality) near2 (CDR or ((clock or CLK) adj (recovery or re\$1 covery or extract or regenerat\$3) or re\$1 generat\$3))) with ((serial near stream) or channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OR	2008/12/18 20:12
S89	35	(((all or plural or multiple or plurality or multiple or plurality or """) near2 (recovered or re\$1covered or re\$1covered or restacted or re \$1generated or regenerated) adj ((loosk) or CJKs))) same ((lossillator or crystal or stable or reference or system of bus or global or local) near2 (clock or CJKs))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ÖR	ÓN	2008/12/18 20:07

S88	2	(((all or plural or multiple or plurally or multiple or plurally or "N") near2 (recovered or re\$1covered or re\$1covered or restracted or regenerated) adj (clocks or CL/S))) same ((oscillator or crystal or stable or reference or system of bus or global or local) near2 (clock or CL/S)) same (select or multiplex or mux)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 20:06
S87	2	(((all or plural or multiple or plurally or multiple or plurally or "N") near2 (recovered or re\$1covered or es\$1covered or es\$1cenerated) adj (clocks or CL/s))) same ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CL/s)) same (select or multiplex or mux)	US-POPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 20:06
S86	0	(((all or plural or multiple or plurality) adj (recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CLKs))) same ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CLK)) same (select or multiplex or mux)	US-PCPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT	OR	ON.	2008/12/18 20:06
S85	.00	((first adj (recovered or re\$1covered or re\$1covered or extracted or re \$1generated) adj (clocks or CL/S))) same ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CL/S)) same ((second adj (recovered or re \$1covered or extracted)	US-PCPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT	ÖR	ON	2008/12/18 20:05

		or re\$1generated or regenerated) adj (clocks or CLKs))) same (mux or mutliplex or selector or selecting)		***************************************	***************************************	
584	0		US-PGPUB; USPAT; USCOR; FPRS, EPC; JPO; DERWENT	OR	ON	2008/12/18 19:48
583		((first adj (recovered or re\$1covered or re\$1covered or extracted or re \$1generated or regenerated) adj (clocks or CL/s))) same ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CL/s)) same ((second adj (recovered or re \$1covered or extracted or re\$1generated) adj (clocks or CL/s))) same ((use or chose or mux or multiplex or pick) near3 (clock or CL/s))	US-PGPUB; USPAT; USCOCR; FPRS; EPC; JPC; DERWENT	OR	ON	2008/12/18 19:45
582	0	((first adj (recovered or re\$1covered or re\$1covered or extracted or re \$1generated or regenerated) adj (clocks or CL/s))) same ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CL/s)) same ((second adj (recovered or re\$1covered or extracted or re\$1generated or	US-PGPUB; USPAT; USCOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 19:45

		regenerated) adj (clocks or CL/s))) same ((use or choose or select or mux or multiplex or pick) near (clock or CL/s))		***************************************	***************************************	
S81	3	((first near2) ((recovered or re \$1covered or re \$1covered or extracted or re\$1generated or regenerated) adj (clocks or CL/s))) same ((oscillator or crystal or system of bus or global or local) adj (clock or CL/s)) same ((second near2 (recovered or re \$1covered or re \$1covered or extracted or re\$1generated or regenerated) adj (clocks or CL/s))) and ((use or choose or select or mux or multiplex or pick) near2 (clock or CL/S))	US-PG-UB; USPAT; USOOR, FFRS; EPO, JPO; DERWENT	OR	ON	2008/12/18 19:43
S80	3	((first near2) (frecovered or re \$1covered or extracted or re\$1generated or re\$1generated or regenerated) adj (clocks or CLKs))) same (loscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CLK)) same ((second near2 (recovered or re \$1covered or extracted or re\$1generated or regenerated) adj (clocks or CLKs))) and (luse or choose or select or mux or multiplex) near2 (clock or CLK))	US-PG-PUB; USPAT; USOOR, FFRS; EPO, JPO; DERWENT	OR	ON	2008/12/18 19:42

S79	2	((first near2 (recovered or re \$1covered or re \$1covered or re \$1covered or re\$1generated or res\$1generated or res\$1generated or regenerated) adj (clocks or CL/s))) same ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CL/k)) same ((second near2 (recovered or re\$1covered or re\$1covered or re\$1covered or re\$1generated or regenerated) adj (clocks or CL/s))) same ((use or choose or select or mux or multiplex) near2 (clock or CL/s))	US-PGPUB; USPAT; USOOR, FRRS; EPO, JPO; DERWENT	OR	ON	2008/12/18 19:40
S78	2	((first near (recovered or re\$1 covered or re\$1 covered or extracted or re \$1 generated) adj (clocks or CLKs))) same ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CLK)) same ((second near (recovered or re \$1 covered or re \$1 covered or re \$1 generated) adj (clocks or CLKs)) same ((use or choose or select or mux or multiplex) near2 (clock or CLK))	US-PCPUB; USPAT; USCOR; FPRS; EPC; JPC; DERWENT	OR	ON	2008/12/18 19:35
S77	2	((first near (recovered or re\$1:oovered or extracted or re \$1generated) adj (clocks or CLKs))) with ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CLK)) with ((second near (recovered or extracted or re\$1generated) adj	US-POPUB; USPAT; USCOCR; FPRS; EPC; JPC; DERWENT	OR	ON	2008/12/18 19:34

		(clocks or CLKs))) and ((use or choose or select or mux or multiplex) near2 (clock or CLK))		***************************************	чениенногонногонногонногон	
S76	2	((first near (recovered or re\$1covered or re\$1covered or re stracted or re \$1generated or regenerated) adj (clocks or CL/S))) with ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CL/S) with ((second near (recovered or re \$1covered or re \$1covered or re\$1generated) adj (clocks or CL/S))) same ((use or choose or select or mux or multiplex) near2 (clock or CL/S))	US-POPUB; USPAT; USCOCR; FPRS; EPC; JPC; DERWENT	OR .	ON	2008/12/18 19:28
S73	33	((recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CLYss) with ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CLK) with ((use or choose or select) near2 (clock or CLK or one))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 19:20
S72	0	clock adj based adj (functionality or functionalities)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 19:18
S70	8	((recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CLKs)) with ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CLK)) and ((select near? (CLK or clock)) or (choose near? (clock or CLK)) or (use near?	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 19:16

		(clock or CLK))) and xilinx			***************************************	
S69	3	((recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CLYs) near3 ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CLYs) with (transfer or supply or send or sent or route) with (block or circuit or sub\$1 circuit or subcircuit or module or sub\$1 module or functionality or functionalities)	US-PCPUB; USPAT; USCOR; FPRS; EPC; JPO; DERWENT	ОЯ	ON	2008/12/18 19:16
S 68	6	((recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CL/S)) with ((oscillator or crystal or system of bus or global or local) adj (clock or CL/K)) with ((select or choose or pick) near (one or ("a" near (clock or CL/K))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 19:14
S66	12	((recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CLKs)) with ((oscillator or crystal or system of bus or global or local) adj (clock or CLK)) and ((select near2 (CLK or clock)) or (choose near2 (clock or CLK)) or (use near2 (clock or CLK))) and (transceiver with (modules or submodules or sub \$1 modules))	USPAPLE; USPAT; USOAR, FFRS, EPC; JPO; DERWENT	ОЯ	ON	2008/12/18 19:10

S 64	-	((recovered or re \$1covered or extracted or re\$1generated or regenerated) adj (clocks or CL/s)) with ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CL/s)) with ((clock or CL/s)) with ((clock or CL/s)) area (transfer or supply or supplied or bus)) and ((select near2 (CL/s or dock)) or (choose near2 (clock or CL/s)) or (use near2 (clock or CL/s)))	US-PGPUB; USPAT; USCOR; FFRS; EPC; JPC; DERWENT	OR	ON	2008/12/18 19:08
S63		((recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CL/ss) with ((oscillator or crystal or stable or reference or system of bus or global or local) adj (clock or CL/s) with ((clock or CL/s)) same ((select near2 (CL/s or clock)) or (choose near2 (clock or CL/s)) or (use near2 (clock or CL/s)))	US PCPUB; USPAT; USCOR; FPRS; EPC; JPC; DERWENT	OR	ON	2008/12/18 19:07
S69	30	((recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CL/S)) with ((oscillator or crystal or stable or reference or system of bus or global or local) near (clock or CL/S)) with ((select near? (CL/K or clock)) or (choose near? (clock or CL/S)) or (use near? (clock or CL/K)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 19:01

S58	8	((recovered or re \$1 covered or extracted or re\$1 generated or regenerated) adj (clocks or CL/s)) with ((oscillator or crystal or stable or reference or system of bus or global or local) near (clock or CL/s)) with ((select near one) or (choose near one) or (use near one))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 18:59
S57	3	((recovered or re \$1covered) adj (clocks or CLKs)) near2 ((reference or system of bus or global or local) near (clock or CLK)) with ((select near one) or (choose near one) or (use near one))	US PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 18:58
S56	9	((recovered or re \$1 covered) adj (clocks or CLKs)) near2 ((reference or system of bus or global or local) near (clock or CLK)) near2 (select or choose or (use near one))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 18:56
S55	0	((recovered or re \$1covered) adj (clocks or CLKs)) near2 ((reference or system of bus or global or local) near (clock or CLK)) near2 (select or choose or (use near one)) same ((process or select) near (data or channel))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 18:56
S54	0	((recovered or re \$1 covered) adj (clocks or CL/ss)) near2 ((reference or system of bus or global or local) near (clock or CL/s)) near2 (select or choose or (use near one)) with ((process or select) near (data or channel))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/12/18 18:56

S50	12	(channel or stream or data) with (route or transmit) with (luse or based or using) near3 (select or selected) near3 (clock or clk))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/05 21:45
S49	5	(channel or stream or data) with (route or transmit) with ((use or based or using) near2 (select or selected) near2 (clock or clk))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/05 21:44

^{12/19/2008 2:06:58} PM

C:\ Documents and Settings\ svlahos\ My Documents\ EAST\ Workspaces\ 10660254new.wsp